

FIGURE 3




FIGURE 4




FIGURE 5







FIGURE 6




| HEADER | | | | | | | <u>810</u> |
|------------------------|-------------------|---------------------|----------------|-------------|--------------------|---------------------|--------------------|
| DESTINATION ADDRESS | SOURCE ADDRESS | DESTINATION PORT | SOURCE PORT | PROTOCOL | TYPE OF SERVICE | INTERFACE NUMBER | OTHER |
| | | | • | | Ħ | § . <u>820b</u> | • |
| | • | • | | | | 820a . 5 | |
| DESTINATION | SOURCE | DESTINATION | SOURCE | PROTOCOL | TYPE OF | INTERFACE | OTHER |
| ADDRESS | ADDRESS | PORT | PORT | PROTOCOL | SERVICE | NUMBER | L , |
| <u> </u> | <u> </u> | - } | / FOOTE | :R <u>{</u> | · | · | - 5 840 |
| 822 | 824 | 826 82 | 8 <u>260'</u> | 830 | 832 | 834 | 836 |


FIGURE 8






| 1110 5 | FIGURE 11 | 1120 | 1130 5 |
|------------------------|-------------------|--------------|------------|
| SOURCE PORT-DESTINATIO | N PORT PAIR (KEY) | PACKET COUNT | BYTE COUNT |










FIGURE 15




FIGURE 16




FIGURE 17